



SHELVING UNITS FOR WATER-ENDANGERING SUBSTANCES IN SMALL CONTAINERS

- ◆ For the storage of water-endangering substances with sump tray shelves on each storage level
- ◆ 2 different combinable shelf widths (1000 and 1300 mm) allow optimal utilisation of existing storage space
- ◆ Mixture of basic and extension units allows extension as required



Fittings:

- ◆ All shelving parts and sump tray shelves galvanized
- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ Height-adjustable shelves at intervals of 25 mm
- ◆ Max. load per storage level 200 kg with uniformly distributed load
- ◆ Max. unit load 1200 kg
- ◆ Stable construction by reinforced struts
- ◆ Dismounted delivery for easy self-assembly



KG-GR 100 / 4W,
Article no. R71-2181-D



KG-GR 130 / 5W, basic unit, Article no. R71-2103-D
and KG-GR 100 / 5W, extension unit, Article no. R71-2102-D



Environmental cabinets
can be found
on page 74!

Model	KG-GR 100 / 4W	KG-GR 100 / 5W	KG-GR 130 / 4W	KG-GR 130 / 5W
External dimensions W x D x H (mm)	1060 x 635 x 2000	1060 x 635 x 2000	1360 x 635 x 2000	1360 x 635 x 2000
Lowest storage level fittings	1 x base sump tray, galvanized	1 x base sump tray, galvanized	1 x base sump tray, galvanized	1 x base sump tray, galvanized
Other storage level fittings	3 x sump tray shelves, galvanized	4 x sump tray shelves, galvanized	3 x sump tray shelves, galvanized	4 x sump tray shelves, galvanized
Sump capacity (l)	4 x 30	5 x 30	4 x 35	5 x 35
Article no., basic unit	R71-2181-D	R71-2101-D	R71-2183-D	R71-2103-D
External dimensions, extension unit W x D x H (mm)	1010 x 635 x 2000	1010 x 635 x 2000	1310 x 635 x 2000	1310 x 635 x 2000
Article no., extension unit	R71-2182-D	R71-2102-D	R71-2184-D	R71-2104-D
Accessory	Article no.	Article no.	Article no.	Article no.
Additional sump tray shelf as storage level	R71-2108-D	R71-2108-D	R71-2109-D	R71-2109-D



SHELVING UNITS FOR FLAMMABLE LIQUIDS IN SMALL CONTAINERS

- ◆ For the storage of flammable liquids With 1 x sump tray shelf as lowest storage level and 3 resp. 4 x galvanized grid-type shelves
- ◆ 2 different combinable shelf widths (1000 and 1300 mm) allow optimal utilisation of existing storage space
- ◆ Mixture of basic and extension units allows extension as required



Fittings:

- ◆ All shelving parts, sump tray shelves and grid-type shelves galvanized
- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ Height-adjustable shelves at intervals of 25 mm
- ◆ Max. load per storage level 200 kg with uniformly distributed load
- ◆ Max. unit load 1200 kg
- ◆ Stable construction by reinforced struts
- ◆ Dismounted delivery for easy self-assembly



KG-GR 100 / 5G, basic unit, Article no. R71-2110-D and KG-GR 100 / 5G, extension unit, Article no. R71-2111-D



KG-GR 100 / 4G, Article no. R71-2190-D



Hazardous substances cabinets can be found from page 111!

Model	KG-GR 100 / 4G	KG-GR 100 / 5G	KG-GR 130 / 4G	KG-GR 130 / 5G
External dimensions W x D x H (mm)	1060 x 635 x 2000	1060 x 635 x 2000	1360 x 635 x 2000	1360 x 635 x 2000
Lowest storage level fittings	1 x base sump tray, galvanized	1 x base sump tray, galvanized	1 x base sump tray, galvanized	1 x base sump tray, galvanized
Other storage level fittings	3 x grid shelves, galvanized	4 x grid shelves, galvanized	3 x grid shelves, galvanized	4 x grid shelves, galvanized
Sump capacity (l)	1 x 30	1 x 30	1 x 35	1 x 35
Article no., basic unit	R71-2190-D	R71-2110-D	R71-2192-D	R71-2112-D
External dimensions, extension unit W x D x H (mm)	1010 x 635 x 2000	1010 x 635 x 2000	1310 x 635 x 2000	1310 x 635 x 2000
Article no., extension unit	R71-2191-D	R71-2111-D	R71-2193-D	R71-2113-D
Accessory	Article no.	Article no.	Article no.	Article no.
Additional grid shelf as storage level	R71-2118-D	R71-2118-D	R71-2119-D	R71-2119-D



SHELVING UNITS FOR WATER-ENDANGERING AND AGGRESSIVE LIQUIDS IN SMALL CONTAINERS

- ◆ For the storage of water-endangering and aggressive liquids with 3 resp. 4 PE sump tray shelves on each storage level
- ◆ 2 different combinable shelf widths (1000 and 1300 mm) allow optimal utilisation of existing storage space
- ◆ Mixture of basic and extension units allows extension as required

Fittings:

- ◆ All shelving parts galvanized
- ◆ Sump tray shelves with PE insert
- ◆ Height-adjustable shelves at intervals of 25 mm
- ◆ Max. load per storage level 200 kg with uniformly distributed load
- ◆ Max. unit load 1200 kg
- ◆ Stable construction by reinforced struts
- ◆ Dismounted delivery for easy self-assembly



KG-GR 130 / 5WPE, basic unit, Article no. R71-2122-D and KG-GR 130 / 5WPE, extension unit, Article no. R71-2123-D



KG-GR 100 / 4WPE, basic unit, Article no. R71-2124-A and KG-GR 100 / 4WPE, extension unit, Article no. R71-2125-A



Acid and alkali cabinets can be found from page 85!

Model	KG-GR 100 / 4WPE	KG-GR 100 / 5WPE	KG-GR 130 / 4WPE	KG-GR 130 / 5WPE
External dimensions W x D x H (mm)	1060 x 635 x 2000	1060 x 635 x 2000	1360 x 635 x 2000	1360 x 635 x 2000
Lowest storage level fittings	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray
Other storage level fittings	3 x PE sump tray shelves	4 x PE sump tray shelves	3 x PE sump tray shelves	4 x PE sump tray shelves
Sump capacity (l)	4 x 30	5 x 30	4 x 35	5 x 35
Article no., basic unit	R71-2124-D	R71-2120-D	R71-2126-D	R71-2122-D
External dimensions, extension unit W x D x H (mm)	1010 x 635 x 2000	1010 x 635 x 2000	1310 x 635 x 2000	1310 x 635 x 2000
Article no., extension unit	R71-2125-D	R71-2121-D	R71-2127-D	R71-2123-D
Accessory	Article no.	Article no.	Article no.	Article no.
Additional PE sump tray shelf as storage level	R71-2128-D	R71-2128-D	R71-2129-D	R71-2129-D



SHELVING UNITS FOR WATER-ENDANGERING AND AGGRESSIVE LIQUIDS IN SMALL CONTAINERS

- ◆ For the storage of water-endangering and aggressive liquids with 1 x PE sump tray shelf as lowest storage level and 3 resp. 4 x galvanized or PE grid shelves
- ◆ 2 different combinable shelf widths (1000 and 1300 mm) allow optimal utilisation of existing storage space
- ◆ Mixture of basic and extension units allows extension as required

Fittings:

- ◆ All shelving parts galvanized
- ◆ Tray-shaped shelves with PE insert
- ◆ 3 resp. 4 x galvanized or PE grid shelves
- ◆ Height-adjustable shelves at intervals of 25 mm
- ◆ Max. load per storage level with uniformly distributed load: with galvanized grid shelf 200 kg, with PE grid shelf 130 kg
- ◆ Max. unit load 1200 kg
- ◆ Stable construction by reinforced struts
- ◆ Dismounted delivery for easy self-assembly



KG-GR 130 5GPE, basic unit, Article no. R71-2132-D
and **KG-GR 130 5PG, extension unit, Article no. R71-2143-D**



PE environmental cabinets can be found on page 43!



Model	KG-GR 100 / 4GPE	KG-GR 100 / 5GPE	KG-GR 130 / 4GPE	KG-GR 130 / 5GPE
External dimensions W x D x H (mm)	1060 x 635 x 2000	1060 x 635 x 2000	1360 x 635 x 2000	1360 x 635 x 2000
Lowest storage level fittings	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray
Other storage level fittings	3 x galvanized grid shelves	4 x galvanized grid shelves	3 x galvanized grid shelves	4 x galvanized grid shelves
Sump capacity (l)	1 x 30	1 x 30	1 x 35	1 x 35
Article no., basic unit	R71-2134-D	R71-2130-D	R71-2136-D	R71-2132-D
External dimensions, extension unit W x D x H (mm)	1010 x 635 x 2000	1010 x 635 x 2000	1310 x 635 x 2000	1310 x 635 x 2000
Article no., extension unit	R71-2135-D	R71-2131-D	R71-2137-D	R71-2133-D

Accessory	Article no.	Article no.	Article no.	Article no.
Additional galvanized grid shelf	R71-2118-D	R71-2118-D	R71-2119-D	R71-2119-D

Model	KG-GR 100 / 4PG	KG-GR 100 / 5PG	KG-GR 130 / 4PG	KG-GR 130 / 5PG
External dimensions W x D x H (mm)	1060 x 635 x 2000	1060 x 635 x 2000	1360 x 635 x 2000	1360 x 635 x 2000
Lowest storage level fittings	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray	1 x PE base sump tray
Other storage level fittings	3 x PE grid shelves	4 x PE grid shelves	3 x PE grid shelves	4 x PE grid shelves
Sump capacity (l)	1 x 30	1 x 30	1 x 35	1 x 35
Article no., basic unit	R71-2144-D	R71-2140-D	R71-2146-D	R71-2142-D
External dimensions, extension unit W x D x H (mm)	1010 x 635 x 2000	1010 x 635 x 2000	1310 x 635 x 2000	1310 x 635 x 2000
Article no., extension unit	R71-2145-D	R71-2141-D	R71-2147-D	R71-2143-D

Accessory	Article no.	Article no.	Article no.	Article no.
Additional PE grid shelf	R71-2148-D	R71-2148-D	R71-2149-D	R71-2149-D



FOR THE STORAGE OF HAZARDOUS SUBSTANCES IN SMALL CONTAINERS

Our hazardous substances shelving units on pages 48 - 51 can be supplied in many different versions:


- ◆ Powder-coated support profiles
- ◆ Various shelving heights (e.g. 2500 mm)
- ◆ Various shelving widths (e.g. 700 mm)
- ◆ Various shelving depths (e.g. 400, 500 or 800 mm)
- ◆ Sump tray shelves with higher sump capacity
- ◆ Various base sump tray sizes



We can supply „Your hazardous substances shelving“ according to your particular space requirements. Please make use of our planning service!

Combinability:

All the hazardous substances shelving units on pages 48 - 51 and 56 can be combined at will. This means that the available storage space can be equipped with shelving that exactly matches the substances to be stored with respect to container sizes and amounts of substances. The modular construction with basic and extension units means that the hazardous substances shelving can be extended at any time.





HAZARDOUS SUBSTANCES SHELVING UNITS FOR SMALL CONTAINERS



STAINLESS STEEL SHELVING UNITS FOR WATER-ENDANGERING AND AGGRESSIVE LIQUIDS IN SMALL CONTAINERS

- ◆ For the storage of water-endangering, flammable and aggressive liquids in small containers
- ◆ Especially suitable for use in laboratory and hospital sector
- ◆ Available in 2 different shelf depths (300 + 500 mm)
- ◆ Quick and easy installation

Fittings:

- ◆ 1 x base tray in the lowest storage level and 3 x slotted shelves
- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ All shelving parts and base sump tray made from stainless steel 1.4301
- ◆ Height-adjustable slotted shelves at intervals of 25 mm
- ◆ Max. field load 1000 kg
- ◆ Stable construction by reinforced struts
- ◆ Dismounted delivery for easy self-assembly



KG-GR 600-500 VA,
basic unit, Article no. R71-3120-A



KG-GR 1000-500 VA,
basic unit, Article no. R71-3122-A



KG-GR 1000-500 VA, basic unit, Article no. R71-3122-A and
KG-GR 1000-500 VA, extension unit, Article no. R71-3123-A




KG-GR 1300-500 VA,
basic unit, Article no. R71-3124-A

Model	KG-GR 600-300 VA	KG-GR 1000-300 VA	KG-GR 1300-300 VA	KG-GR 600-500 VA	KG-GR 1000-500 VA	KG-GR 1300-500 VA
External dimensions W x D x H (mm)	660 x 335 x 1750	1060 x 335 x 1750	1360 x 335 x 1750	660 x 535 x 1750	1060 x 535 x 1750	1360 x 535 x 1750
Sump capacity (l)	1 x 20	1 x 30	1 x 35	1 x 20	1 x 30	1 x 35
Max. field load (kg)	150	150	100	150	150	100
Article no., basic unit	R71-3110-A	R71-3112-A	R71-3114-A	R71-3120-A	R71-3122-A	R71-3124-A
Article no., extension unit	R71-3111-A	R71-3113-A	R71-3115-A	R71-3121-A	R71-3123-A	R71-3125-A

Accessory	Article no.	Article no.	Article no.	Article no.	Article no.	Article no.
Additional slotted shelf	R71-3130-A	R71-3131-A	R71-3132-A	R71-3133-A	R71-3134-A	R71-3135-A

HAZARDOUS SUBSTANCES SHELVING UNITS FOR SMALL CONTAINERS WITH SUMP PALLET

- ◆ Base sump tray according to WHG - **Ü-sign according to StawaR**
- ◆ Large sump capacity by combination of sump pallet and hazardous substances shelving
- ◆ Galvanized grid shelves
- ◆ Dismounted delivery with instructions for easy self-assembly



Shelf fittings:

- ◆ Galvanized
- ◆ Height-adjustable shelves at intervals of 25 mm
- ◆ Max. load per storage level 200 kg*

* with uniformly distributed load

Sump pallet fittings:

- ◆ Painted in RAL 5015 - sky blue or fire-galvanized, dimensions please see table below
- ◆ Sump capacity 210 liters
- ◆ Safe liquid transfer with projecting grid in front of shelves
- ◆ Ground clearance 100 mm

i Ideally suitable for storing agricultural pesticides!



GR1-4GE, sump pallet painted, Article no. R71-2060-C



GR2-5GE, sump pallet painted, Article no. R71-2081-C



GR1-5GE, sump pallet fire-galvanized, Article no. R71-1061-C



GR2-4GE, sump pallet fire-galvanized, Article no. R71-1080-C

Model	GR1-4GE	GR1-5GE	GR2-4GE	GR2-5GE
Dimensions W x D x H (mm)	1060 x 635 x 2100	1060 x 635 x 2100	2085 x 635 x 2100	2085 x 635 x 2100
Sump pallet dimensions W x D x H (mm)	1250 x 820 x 340	1250 x 820 x 340	2400 x 820 x 240	2400 x 820 x 240
Fittings	4 x grid shelves	5 x grid shelves	2 x 4 grid shelves	2 x 5 grid shelves
Sump capacity (l)	210	210	210	210
Article no., sump pallet painted	R71-2060-C	R71-2061-C	R71-2080-C	R71-2081-C
Article no., sump pallet fire-galvanized	R71-1060-C	R71-1061-C	R71-1080-C	R71-1081-C




Explanations see practical informations on page 6 and 84!

HAZARDOUS SUBSTANCES SHELVING UNITS FOR SMALL CONTAINERS



HAZARDOUS SUBSTANCES SHELVING UNITS FOR SMALL CONTAINERS WITH SUMP PALLET



GR3-5GE,
sump pallet painted,
Article no. R71-2091-C

Hazardous substances shelvings are available in several versions:

- ◆ Various shelving heights
- ◆ Various shelving widths
- ◆ Various shelving depths
- ◆ Various sump pallet sizes



We are pleased to meet your areal specifications. Take advantage of our planning service!



Model	GR3-4GE	GR3-5GE
Dimensions W x D x H (mm)	3095 x 635 x 2100	3095 x 635 x 2100
Sump pallet dimensions W x D x H (mm)	3200 x 820 x 215	3200 x 820 x 215
Fittings	3 x 4 grid shelves	3 x 5 grid shelves
Sump capacity (l)	210	210
Article no., sump pallet painted	R71-2090-C	R71-2091-C
Article no., sump pallet fire-galvanized	R71-1090-C	R71-1091-C